




and Caddy Maxi


0800 334 5126 sales@alfredbekker.com alfredbekker.com




The legendary
FlexiRamp™ with
further enhanced
functionality
for simple and
effortless operation



The new patented UpLifter™ functionality, in combination with a fully balanced ramp in all positions, delivers uncompromised handling and comfort as well as setting new standards for wheelchair accessible vehicles. Truly a ZeroEffort™ system.








We care about your comfort and safety.

Throughout the new vehicle design process, we always look at how to increase levels of comfort and safety. The new Caddy Flexiramp™ comes with many new features and improvements, which we're confident you will appreciate in your daily usage of the vehicle.
















3 DIFFERENT SIZES


for all your needs



1 350 – 1 490 mm

Whether you need a family-sized wheelchair accessible vehicle, or run a taxi company, we always have the right solution for you. Just choose.







CADDY 1 380 – 1 850 mm

VW Caddy FlexiRamp™







SEATING OPTIONS

	OEM seats	OEM seats	OEM seats	OEM seats	New seats 2nd row	New seats 2nd row + TFS	New seats 2nd row + OEM seats 3rd row	Tip & Fold Seats (TFS)	OEM seats 3rd row
	2 4 + 1 5	3 4 + 1 5	5 4 + 1 6	5 4 + 0 5	44+16	64+05	64+05	7 4 + 0 5	7 4 + 0 5
S	~	~	×	~	v	×	×	×	×
L	V	~	~	~	×	×	×	V	V
XL	V	V	V	V	V	V	V	V	V

DIMENSIONS

	S	L	XL
Α	815 mm	815 mm	815 mm
В	780 mm	780 mm	780 mm
C	635 mm	-	635 mm
D	1 350 *1 mm	1 280*2 mm	1 380 - 1 710 *3 mm
E	1 420 mm	1 420 mm	1 420 mm
F	1 380 mm	1 380 mm	1 380 mm
G	1 050 mm	1 050 mm	1 050 mm
Н	13°	12 - 14°	12 - 14°
- 1	190 mm	195 mm	190 mm
J	185 mm	200 mm	185 mm
K	493 mm	-	493 mm

 ^{1 490} mm - removed bench seat
 1 330 mm - removed closing plate
 1 850 mm - removed bench seat







